














| BOM ID | IMAGE   | QUANTITY | DESCRIPTION                            | DOCUMENT ID | WEIGHT |
|--------|---|----------|--|-------------|--------|
| 1      |    | 2        | Handle f. steel post                   | SW52813     | 0.82   |
| 2      |    | 1        | Straight Protection pipe f. steel post | SW52827     | 2.61   |
| 3      |    | 1        | Wobble Climb                           | SW67093     | 39.47  |
| 4      |    | 2        | Chain 5mm 78 links. Wobble S           | SW68613     | 0.74   |
| 5      |    | 4        | Schackle attachment M6                 | 31-02551    | 0.00   |
| 6      |    | 4        | Lid for Cover hat M6 with stop         | SW60093     | 0.00   |
| 7      |    | 2        | Schackle A2                            | 43-06413    | 0.01   |
| 8      |   | 2        | Ground Bar                             | 33-05369    | 3.5    |
| 9      |  | 4        | Nut, Fujilok-M8-8-RingA2               | 8008795     | 0.006  |
| 10     |  | 2        | Screw, ISO4017-M6x20-8.8               | 8008330     | 0.0071 |
| 11     |  | 4        | Screw, ISO4017-M8x25-8.8               | 8008344     | 0.0158 |

| BOM ID | IMAGE   | QUANTITY | DESCRIPTION                             | DOCUMENT ID | WEIGHT |
|--------|---|----------|---|-------------|--------|
| 12     |  | 8        | Screw, thr-forming M8x25-8.8-(I-SO7380) | 8008506     | 0.013  |
| 13     |  | 8        | Washer, Bolt cap 9x18x2-ISO4759-3-C     | 8008849     | 0.003  |

